



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/594,278	09/26/2006	Yoshiaki Watanabe	063029	3371

38834 7590 07/09/2010
WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP
1250 CONNECTICUT AVENUE, NW
SUITE 700
WASHINGTON, DC 20036

EXAMINER

PETTITT, JOHN F

ART UNIT	PAPER NUMBER
----------	--------------

3744

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/09/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentmail@whda.com

Office Action Summary	Application No. 10/594,278	Applicant(s) WATANABE ET AL.	
	Examiner John F. Pettitt	Art Unit 3744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 4/12/2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) 8-10 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7, 11-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

Claims 8-10 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 4/12/2010.

Claim Objections

Claim 11 is objected to because of the following informalities: The recitation, "that the flow path lengths of individual connection channels are decreased" (lines 2-3) lacks antecedent basis and should read --that a flow path lengths of individual connection channels are decreased--. Appropriate correction is required.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the starting location of the circuit and the corresponding measure to the location of the stack relative to claimed start of the circuit must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

Art Unit: 3744

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-7, 11-13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claim 1 recitation, "which is vertical, and connection tube portions shorter than the linear tube portions, and wherein the first stack is disposed in the longest linear tube portion amount the plurality of linear tube portions, wherein the second stack is disposed in one of other linear tube portions than the first stack is disposed", is indefinite as there is no one longest line tube portion disclosed in the application, rather a pair a long tube portions; it will be assumed that the claim reads, --which **are** vertical, and connection tube portions shorter than the linear tube portions, and wherein the first stack is disposed in **one of the** linear tube

Art Unit: 3744

portions, wherein the second stack is disposed in **the** other linear tube portion **other** than the first stack is disposed--.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-4, 6, 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Swift (US 6032464). In regard to claim 1, Swift (US 6032464) teaches a thermoacoustic apparatus (Fig. 13C) comprising: a loop tube (222, 210); a first stack (234) sandwiched between a first high-temperature-side heat exchanger (232; note that the heat exchangers are provided as examples and that operation at different temperatures is certainly possible) and a first low-temperature-side heat exchanger (236), the first stack (234) being provided in the loop tube (222, 210); and a second stack (216) sandwiched between a second high-temperature-side heat exchanger (218) and a second low-temperature-side heat exchanger (214), the second stack (216) being provided in the loop tube (222, 210), wherein a standing wave and a traveling wave are generated through self excitation by heating the first high-temperature-side heat exchanger (232), so that the second low-temperature-side heat exchanger (214) is cooled by the standing wave and the traveling wave (depending on the use of the system; column 15, line 48), or wherein a standing wave and a traveling wave are generated through self excitation by cooling the first low- temperature-side heat exchanger (236), so that the second

Art Unit: 3744

high-temperature-side heat exchanger (218) is heated by the standing wave and the traveling wave, wherein a support (inherent to locating the device in any location) is disposed such that the loop tube is configured to include a plurality of linear tube portions (222, 210 - left and right), which are vertical and connection tube portions (top and bottom ones) shorter than the linear tube portions (222, 210, left and right), and wherein the first stack (234) is disposed in one (210) of the linear tube portions (222, 210), wherein the second stack (216) is disposed in the other of the linear tube portions (left one of 222) than the first stack (234) is disposed, wherein the second stack (216) is disposed at a level higher than the first stack (234). In regard to claim 2, see figure 13C and the column 11, line 35; column 12, line 25. In regard to claims 3-4, it is noted that the apparatus is fully capable of operating with cooling or heating either the first or second stacks (234, 216) as an operator desires. In regard to claim 6, note that inherent to the creation of the high and low temperatures in the thermoacoustic cycle is that the pressure of the fluid peaks in the vicinity of first and second stacks (column 5, lines 10-15, 35-37, column 4, line 40). In regard to claim 7, an acoustic wave generator is disposed inside (240) or outside (40) the loop (222, 210).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 3744

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 5-6, 11, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Swift (US US 6032464) in view of Swift (US 6164073). In regard to claim 5, Swift does not appear to teach the location of the center of the stack (216) in relation to the ends of the vertical tube portions (222, 210), however, it is noted that the stack's location in Swift (464) appears to be located near the same location as in the applicant's figure. Further, it is seen that the locating of the stack in the loop is nearly inherent in order for the device to operate properly (column 5, lines 60-65 - shows that the length of the torous is explicitly considered). Lastly considering that the stack's location is shown in the Swift(464) it is considered a matter of routine experimentation to determine the optimal location relative to the length of the loop. Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to locate the stack at about $\frac{1}{4}$ the length of the tube portions for the purpose of providing the optimal thermoacoustic torus loop. Furthermore, the same reasoning applies to claim 6 in addition to the evidence that the pressures must peak near the stacks. In regard to claim 11, Swift (464) teaches most of the claim limitations, but does not explicitly teach a stack structure that provides flow path lengths of individual connection channels are

Art Unit: 3744

decreased one after another from the medial to the lateral ends of the stack. However, Swift (073) teaches that the stack (32, 34) is formed from plates (column 5, line 6) in a circular cross section tube for a thermoacoustic cooler, and therefore there is a flow length (when viewing the cross-section) that is decreased when moving from the medial to the lateral ends. Swift (073) further teaches that such stack structure was previously invented (column 5, lines 1-5). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to employ the stack structure of Swift (073) in the cooler of Swift (464) for the purpose of improving the efficiency of the cooler and employing a stack structure that has been shown to be effective. In regard to claim 13, Swift (464) teaches most of the claim limitations, but does not appear to teach staging the low temperature heat exchangers of at least two thermoacoustic coolers. However, Swift (073) teaches such staging is old in the art of thermoacoustic coolers (column 7, lines 50-55), additionally and/or alternatively cascade refrigeration is a well known and old method of producing lower refrigeration temperatures. Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to provide cooling from one low temperature heat exchanger to another thermoacoustic cooler for the purpose of providing cooling at lower temperatures.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Swift (US 6032464) in view of Smith (US 2003/0192324) or Belaire (US 4057962). Swift teaches most of the claim limitations including, that the product of the angular frequency and temperature relaxation time is in the range of 0.2 to 20 (since $\omega \tau =$

Art Unit: 3744

$(2\pi \text{frequency}) \cdot (r^2 / 2\alpha)$ and Swift (464) shows that the flow path radius is about 12 micrometers - column 9, line 35, and 42 micrometers - column 11, line 39 and the fluid is argon defining the diffusion coefficient, therefore the value is a function only of frequency which is user set and therefore the device of Swift is fully capable of such range), but does not appear to teach sintered metal for the regenerator, however, Smith (parag. 99) or Belaire (column 3, lines 54-61) each teach that regenerators are known to be sintered. Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to sinter the screens of Swift (464) for the purpose making the installation of the regenerator easier.

Response to Arguments

It is noted that the claims are not deemed patentably distinguishable from the prior art as described in detail above. It is further noted that the presence of a support for the cooler is inherent to the orientation of the cooler of Swift (464).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John F. Pettitt whose telephone number is 571-272-0771. The examiner can normally be reached on M-F 8a-4p.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler or Frantz Jules can be reached on 571-272-4834 or 571-272-6681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John F Pettitt /
Examiner, Art Unit 3744

/Cheryl J. Tyler/
Supervisory Patent Examiner, Art
Unit 3744

JFP III
July 2, 2010